

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	192	(monitor\$4 same execution\$4 same program\$4) and (debug same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 14:36
L6	341	(monitor\$4 same execution\$4 same program\$4) and (debug same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 14:36
L5	4	"717"/\$.ccls. and (fault\$4 same analy\$4) and (fault same table) and (reset or initial\$4) same controll\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 12:05
L4	36	"717"/\$.ccls. and (fault\$4 same analy\$4) and (fault same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 12:04
L3	3	"717"/\$.ccls. and (stor\$4 same fault\$4 same controll\$4 same (reset or initial\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 12:03
L2	1	"717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (stor\$4 same fault\$4 same control\$4 same (reset or initial\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 11:05
S59	1	"717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 11:03
S10 3	45	717/124.ccls. and (address same range) and debug	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53
S10 2	118	(stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53

EAST Search History

S10 1	66	717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53
S72	37	717/124.ccls. and (address same range) and debug	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53
S38	77	(stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53
S10	43	717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:53
S10 0	2	"5680620".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 09:33
S99	2	"6535811".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 08:49
S64	24	debug same logic same register\$4 same parallel same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 08:48
S98	2	"5155809".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:44

EAST Search History

S97	36	"5155809"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:44
S96	23	(secur\$ SAME stack SAME check\$4) and (parallel same process\$4) and (address same range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:19
S95	116	(secur\$ SAME stack SAME check\$4) and parallel same process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:19
S94	574	secur\$ SAME stack SAME check\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:18
S93	1	secur\$ NEAR1 stack NEAR1 check\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:18
S92	1	secure NEAR1 stack NEAR1 check	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:17
S91	4	("5809293" "5680620").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:16
S1	0	("5809293" "5680620").pn. and stack and over adj flow and (stor\$4 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:15
S90	2	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range) and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:49

EAST Search History

S89	32	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:49
S88	0	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:49
S87	96	"L1" and (debug same logic) and (parallel same program execut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:48
S86	67	"L1" and (debug same logic) and parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S85	114	"L1" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S84	0	"L33" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S83	0	"I33" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47

EAST Search History

S82	33	(US-20040061147-\$ or US-20030033592-\$).did. or (US-6502209-\$ or US-5657442-\$ or US-6131154-\$ or US-5857094-\$ or US-6658578-\$ or US-6141791-\$ or US-5450586-\$ or US-6154856-\$ or US-5522076-\$ or US-6634020-\$ or US-6463553-\$ or US-6282701-\$ or US-6249907-\$ or US-6681384-\$ or US-6560722-\$ or US-6145123-\$ or US-5983017-\$ or US-5943498-\$ or US-6658653-\$ or US-5770836-\$ or US-6667917-\$ or US-6397349-\$ or US-5630045-\$ or US-4701854-\$ or US-6697972-\$ or US-5805800-\$).did. or (US-6219702-\$ or US-4493027-\$ or US-4525780-\$).did. or (JP-10078919-\$ or JP-05173890-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/10/06 15:46
S81	42	(secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) NEAR execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:32
S80	255	(secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:32
S79	6	secure\$4 same stack same check\$4 same program\$4 same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:31
S78	18	secure\$4 same stack same check\$4 same program\$4 same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:29

EAST Search History

S73	4	717/124.ccls. and (address same range) and debug and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:28
S77	12	execut\$4 same parallel\$4 same debug\$4 same logic and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:47
S76	58	execut\$4 same parallel\$4 same debug\$4 same logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:47
S75	72103	execut\$4 same parallel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:46
S74	48	(debug same logic\$4) and excep\$4 and (illegal same (address and range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:13
S71	61	717/124.ccls. and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:39
S70	0	717/124.ccls. and (debug same logic same address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:39

EAST Search History

S69	5	debug same logic same parallel same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:38
S68	36	debug same logic same parallel same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:28
S67	0	(debug same logic same register\$4 same parallel same execut\$4) and (range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20
S66	0	(debug same logic same register\$4 same parallel same execut\$4) and (stack same range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20
S65	0	debug same logic same register\$4 same parallel same execut\$4 same stack same range same break same point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20
S61	1	(access same addres\$4 same range) and (access near illegal near stor\$4) same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:18
S63	1	"717"/\$.ccls. and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S62	1	717/127-129.ccls. and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42

EAST Search History

S60	6	(access near illegal near stor\$4) same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:41
S51	28	(illegal near access) same storage same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:35
S9	6	(monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:40
S57	8	(debug same logic\$4) and excep\$4 and (illegal same (address and range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:39
S56	145	(debug same logic\$4) and excep\$4 and address and range and illegal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57
S55	546	(debug same logic\$4) and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57
S54	805	(debug same log\$4) and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57
S53	805	debug same log\$4 and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:56

EAST Search History

S52	8	(illegal near access) same (address near range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:35
S50	0	717/124.ccls. and (illegal same access same storage same area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:14
S49	75	illegal same access same storage same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:13
S43	15	execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) and (micro adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:35
S42	899	execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:34
S41	10	(monitor\$4 near2 execution\$4 near2 program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:33
S40	51	(monitor\$4 same execution\$4 near2 program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:57
S39	135	(monitor\$4 same execution\$4 same program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:57
S18	1	monitor\$4 same execution\$4 same debug adj logic and monitor\$4 and (initializ\$\$ near3 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:55

EAST Search History

S37	77	(stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:42
S36	347	stor\$4 NEAR1 fault\$4 and memory near1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:41
S35	490	stor\$4 NEAR1 fault\$4 and memory near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:41
S34	2987	stor\$4 NEAR1 fault\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S28	1	fault\$4 near10 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S27	114717	stor\$4 NEAR3 fault\$4 NEAR5 memory same address\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S33	3	(monitor\$ same program\$4 same execution\$4) and (debug with logic) and (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:18
S32	1	(monitor\$ same program\$4 same execution\$4) and (debug with logic) near5 (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:17
S31	114	(monitor\$ same program\$4 same execution\$4) and (debug with logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:17
S30	1	(monitor\$ same program\$4 same execution\$4) near5 (debug with logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:16

EAST Search History

S29	1	fault\$4 near5 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:15
S26	114835	stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:54
S25	114706	stor\$4 same fault\$4 same memory same adderess\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:54
S24	0	("5809293" "5680620" "5680620" "6282701").pn. and stor\$4 and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:53
S23	0	("5809293" "5680620" "5680620").pn. and stor\$4 and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:45
S15	1	("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:44
S22	8	((initializ\$4 same program\$4) and (reset\$5 same start\$4)) same (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:38
S21	84	(initializ\$4 same program\$4) same (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:37
S20	1	monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 same program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:36
S19	1	monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 near3 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:36

EAST Search History

S17	1845	(reset\$4 same start\$5 same initializ\$4) same (micro adj controll\$4 or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:29
S16	140993	(reset\$4 or start\$5 or initializ\$4) same (micro adj controll\$4 or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:29
S14	1	("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:23
S13	1	("5809293" "5680620").pn. and monitor\$4 same executio\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:22
S12	4	("5809293" "5680620").pn. and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:22
S11	4	("5809293" "5680620").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:22
S4	0	("5809293" "5680620").pn. and stack\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:16
S8	5	(monitor\$4 same execution\$4 same program\$4) and (debug same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:37
S6	8428	monitor\$4 same execution\$4 same program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:28
S5	63273	monitor\$4 and execution\$4 and program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:28

EAST Search History

S3	0	("5809293" "5680620").pn. and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:25
S2	0	("5809293" "5680620").pn. and stack and (over adj flow)and (stor\$4 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:25